



List of treatment products for
Do It Yourself

List n° DQ-CERT/16-081-GB, published on June 15, 2016
cancels and replaces list published on 01.06.2016 n° DQ-CERT/16-068

Any list modification leads to an update :

- Available at FCBA.
- Available on internet : www.ctbplus.fr www.fcba.fr

According to the declaration made by the CTB-P+ producers, products listed hereby are deemed to comply to the BPR regulation EU n° 528/2012.

As authorizations are done nationally and as it depends on the producers claims, It falls to the users to verify with the CTB-P+ producers the regulatory situation of the concerned products for an use in a given member state.

Some products could be also only certified for a non UE marketing . In this case, this information is clearly labelled on the list

TRADE NAME (PRODUCER)											
Composition	Preventive properties							Curative properties			
	Characteristics	Use Class	Type of wood	Number of layers	Qty in m ² /l	Fungicide	Insecticide	Qty in m ² /l	Type of process	Type of process	
Caption : • = YES o = NO											

XYLOPHENE PROFESSIONNEL MULTI-USAGES - M 2000 (Producer : PPG AC France)											
Cypermethrin 0,10 % w/w Propiconazole 0,15 % w/w Tebuconazole 0,05 % w/w I.P.B.C. 0,05 % w/w Type : Water based emulsion Flash Point : / °C Density : 1 Use : indoor/outdoor	1	Softwoods	1	20	Brown rot	•	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	20			Lyctus	•		Lyctus	o
	2	Softwoods	1	12	White rot	•	beetles	•	/	beetles	o
Hardwoods	1	12	Wood termites	•			Wood termites	•			
3.1	Softwoods	1	12	Brushing			/	Injection brushing atomization			
Hardwoods	2	5				/					

XYLOPHENE Professionnel Poutres et Charpentes Intérieures - C 2000 (Producer : PPG AC France)											
Cypermethrin 0,10 % w/w Type : Water based emulsion Flash Point : / °C Density : 1 Use : indoor	1	Softwoods	1	20	Brown rot	o	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	20			Lyctus	•		Lyctus	•
	2	Softwoods	/	/	White rot	o	beetles	•	/	beetles	•
Hardwoods	/	/	Wood termites	•			Wood termites	•			
3.1	Softwoods	/	/	Brushing			/	Injection Brushing Atomization			
Hardwoods	/	/				/					

XYLOPHENE PROFESSIONNEL SOR 40 (Producer : PPG AC France)											
Cypermethrin 0,07 % w/w Propiconazole 0,15 % w/w Tebuconazole 0,05 % w/w I.P.B.C. 0,05 % w/w Type : solvent borne Flash Point : 61 °C Density : 0,8 Use : indoor/outdoor	1	Softwoods	1	14	Brown rot	•	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	14			Lyctus	•		Lyctus	•
	2	Softwoods	2	4	White rot	o	beetles	•	/	beetles	o
Hardwoods	2	4	Wood termites	•			Wood termites	•			
3.1	Softwoods	2	4	Brushing			/	Injection brushing atomization			
Hardwoods	/	/				/					

TRADE NAME (PRODUCER)											
Composition	Preventive properties							Curative properties			
	Characteristics	Use Class	Type of wood	Number of layers	Qty in m²/l	Fungicide	Insecticide	Qty in m²/l	Type of process		
Type of process											
Caption : • = YES o = NO											

Xylophène Expert Xylo Total (Producer : PPG AC France)											
Cypermethrin 0,10 % w/w Propiconazole 0,15 % w/w Tebuconazole 0,05 % w/w I.P.B.C. 0,05 % w/w Type : Water based emulsion Flash Point : / °C Density : 1 Use : indoor/outdoor	1	Softwoods	1	20	Brown rot	•	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	20			Lyctus	•		Lyctus	o
	2	Softwoods	1	12	White rot	•	beetles	•	/	beetles	o
Hardwoods	1	12	Wood termites	•			Wood termites	•			
3.1	Softwoods	1	12	Brushing			/	Injection Brushing Atomization			
Hardwoods	2	5				/					

Xylophène Expert Xylo Structure (Producer : PPG AC France)											
Cypermethrin 0,10 % w/w Type : Water based emulsion Flash Point : / °C Density : 1 Use : indoor	1	Softwoods	1	20	Brown rot	o	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	20			Lyctus	•		Lyctus	•
	2	Softwoods	/	/	White rot	o	beetles	•	/	beetles	•
Hardwoods	/	/	Wood termites	•			Wood termites	•			
3.1	Softwoods	/	/	Brushing			/	Injection Brushing Atomization			
Hardwoods	/	/				/					

Xylophène Expert Xylo Profond (Producer : PPG AC France)											
Cypermethrin 0,10 % w/w Type : Water based emulsion Flash Point : / °C Density : 1 Use : indoor	1	Softwoods	5	1	Brown rot	o	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	5	1			Lyctus	•		Lyctus	•
	2	Softwoods	/	/	White rot	o	beetles	•	/	beetles	•
Hardwoods	/	/	Wood termites	•			Wood termites	•			
3.1	Softwoods	/	/	Brushing			/	Injection Brushing Atomization			
Hardwoods	/	/				/					

List of treatment products for Do It Yourself

all those products are ready to use.

TRADE NAME (PRODUCER)									
Composition	Preventive properties						Curative properties		
	Use Class	Type of wood	Number of layers	Qty in m²/l	Fungicide	Insecticide	Qty in m²/l	Type of process	
Type of process					Type of process				
Caption : • = YES o = NO									

Xylophène Expert Xylo Extrême (Producer : PPG AC France)											
Cypermethrin 0,07 % w/w Propiconazole 0,15 % w/w Tebuconazole 0,05 % w/w I.P.B.C. 0,05 % w/w Type : solvent borne Flash Point : 61 °C Density : 0,8 Use : indoor/outdoor	1	Softwoods	1	14	Brown rot	•	Longhorn beetles	•	3.3	Longhorn beetles	•
		Hardwoods	1	14			Lyctus			Lyctus	
	2	Softwoods	2	4	White rot	o	beetles	•	/	beetles	o
		Hardwoods	2	4			Wood termites			Wood termites	
	3.1	Softwoods	2	4	Brushing			/	Injection Brushing Atomization		
	Hardwoods	/	/								