



List of products for remedial and
preventiv treatment for timber in use

List n° DQ -CERT/18-122-GB, published on 05/11/2018
cancels and replaces list published on 06/03/2018 n° DQ -CERT/18-032-GB

Any list modification leads to an update :

- Available at FCBA.
- Available on internet : www.ctbplus.fr www.fcba.fr

According to the declaration made by the CTB-P+ producers, products listed hereby are deemed to comply to the BPR regulation EU n° 528/2012.

As authorizations are done nationally and as it depends on the producers claims, It falls to the users to verify with the CTB-P+ producers the regulatory situation of the concerned products for an use in a given member state.

Some products could be also only certified for a non UE marketing . In this case, this information is clearly labelled on the list

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide	Type of process	Critical values in g/m ²
Characteristics				Insecticide		
Caption : X = yes O = no						

XYLOPHENE CURATIF SORX 2000 (Producer : ADKALIS)							
Cypermethrin : 0,07 % w/w Propiconazole : 0.15 % w/w Tebuconazole : 0.05 % w/w I.P.B.C. : 0.05 % w/w biological risks covered : Wood boring beetles, fungi, termites Presentation : Ready to use Type : Solvent based	1	Softwoods Hardwoods	55 55	Brown rot White rot	X O	Longhorn beetles X Lyctus X Beetles X Wood termites X	300
	2	Softwoods Hardwoods	200 200	Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
	3.1.	Softwoods Hardwoods	200 /	Beetles Wood termites	X X	injection / double spraying	/

XYLOPHENE CURATIF SC 2000 (Producer : ADKALIS)							
Cypermethrin : 0,070 % w/w biological risks covered : Wood boring beetles, termites Presentation : Ready to use Type : Solvent based	1	Softwoods Hardwoods	45 45	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles O Wood termites X	240
		Softwoods Hardwoods		Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
		Softwoods Hardwoods		Beetles Wood termites	X X	Injection	/

XYLOPHENE CURATIF CIF 2010 (Producer : ADKALIS)							
Cypermethrin : 1,20 % w/w Propiconazole : 2,2 % w/w Tebuconazole : 0,74 % w/w I.P.B.C. : 0,74 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	2,5 2,5	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	25
	2	Softwoods Hardwoods	5 5	Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
	3.1	Softwoods Hardwoods	5 15	Beetles Wood termites	X X	Injection / double spray	/

PRODUCTS INTENDED TO BE USED BY PROFESIONNAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBRER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide Insecticide	Type of process	Critical values in g/m ²
Caption : X = yes O = no						

XILIX 1000 P (Producer : ADKALIS)							
Permethrin : 3.5 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	30
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles Wood termites	X X X X		
		Softwoods Hardwoods		Wood termites	X		Injection/double spray /

TECHNIKOAT (Producer : KOATCHIMIE)							
Permethrine : 3.125 % w/w Propiconazole : 9.375 % w/w I.P.B.C. : 3.125 % w/w biological risks covered : Wood boring beetles, fungi, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	16 16	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	24
	2	Softwoods Hardwoods	16 16	Longhorn beetles Lyctus Beetles Wood termites	X X X X		
	3.1	Softwoods Hardwoods	16 16	Wood termites	X		Injection/double spray /

XILIX 3000 P (Producer : ADKALIS)							
Permethrin : 0.35 % w/w I.P.B.C. : 0,073 % w/w Propiconazole : 0,073 % w/w Tebuconazole : 0,073 % w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Ready to use Type : Water based emulsion	1	Softwoods Hardwoods	100 100	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	300
	2	Softwoods Hardwoods	100 100	Longhorn beetles Lyctus Beetles Wood termites	X X X X		
	3.1	Softwoods Hardwoods	100 200	Wood termites	X		Injection/double spray /

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide	Type of process	Critical values in g/m ²
Characteristics				Insecticide		
Caption : X = yes O = no						

XILIX GEL CURATIF FONGI + (Producer : ADKALIS)							
Permethrin : 0,51 % w/w Propiconazole : 1.17 % w/w TMAC : 0.0001% w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Ready to use Type : Solvent based	1	Softwoods Hardwoods	82 82	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	240
	2	Softwoods Hardwoods	200 200	Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
	3.1	Softwoods Hardwoods	200 200	Wood termites	X	Injection/double spray	/

XYLOFOR IFAC 0 3000 (Producer : ADKALIS)							
Permethrin : 0.35 % w/w I.P.B.C. : 0,073 % w/w Propiconazole : 0,073 % w/w Tebuconazole : 0,073 % w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Ready to use Type : Water based emulsion	1	Softwoods Hardwoods	100 100	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	300
	2	Softwoods Hardwoods	100 100	Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
	3.1	Softwoods Hardwoods	100 200	Wood termites	X	Injection/double spray	/

XYLOFOR CTE 1000 (Producer : ADKALIS)							
Permethrin : 3.5 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	30
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
		Softwoods Hardwoods		Wood termites	X	Injection/double spray	/

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)								
Composition	Preventive properties				Remedial properties			
	Use Class	Type of wood	Critical value in g/m ²	Fungicide Insecticide	Type of process	Critical values in g/m ²		
Caption : X = yes O = no								
CORIPHENE GEL Pro+ (Producer : ADKALIS)								
Permethrin : 0,51 % w/w biological risks covered : Wood boring beetles, termites Presentation : Ready to use Type : Solvent based	1	Softwoods Hardwoods	82 82	Brown rot White rot	O O	Longhorn beetles Lyctus Beetles Wood termites	X X X X	240
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles Wood termites	X X X X			
		Softwoods Hardwoods					Injection / double spray	/
XYLOPHENE CURATIF CE 2000 (Producer : ADKALIS)								
Cypermethrin : 0,100 % w/w biological risks covered : Wood boring beetles, termites Presentation : Ready to use Type : Water based emulsion	1	Softwoods Hardwoods	50 50	Brown rot White rot	O O	Longhorn beetles Lyctus Beetles Wood termites	X X X X	300
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles Wood termites	X X X X			
		Softwoods Hardwoods					Injection / double spray	/
XYLOPHENE CURATIF CE 2006 (Producer : ADKALIS)								
Cypermethrin : 0,10 % w/w Propiconazole : 0,15 % w/w Tebuconazole : 0,05 % w/w I.P.B.C. : 0,05 % w/w biological risks covered : Wood boring beetles, termites Presentation : Ready to use Type : Water based emulsion	1	Softwoods Hardwoods	50 50	Brown rot White rot	X X	Longhorn beetles Lyctus Beetles Wood termites	X X X X	300
	2	Softwoods Hardwoods	79 79	Longhorn beetles Lyctus Beetles Wood termites	X X X X			
	3.1	Softwoods Hardwoods	79 200				Injection / double spray	/

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide	Type of process	Critical values in g/m ²
Characteristics				Insecticide		
Caption : X = yes O = no						

CORIPHENE IF CONCENTRE (Producer : ADKALIS)							
Permethrin : 3,5 % w/w I.P.B.C. : 0,73 % w/w Propiconazole : 0,73 % w/w Tebuconazole : 0,73 % w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X Wood termites X	30
	2	Softwoods Hardwoods	10 10	Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
	3.1	Softwoods Hardwoods	10 20	Beetles Wood termites	X X	Injection/double spray	/

XILIX GEL (Producer : ADKALIS)							
Permethrin : 0,51 % w/w biological risks covered : Wood boring beetles, termites Presentation : Ready to use Type : Solvent based	1	Softwoods Hardwoods	82 82	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	240
		Softwoods Hardwoods		Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
		Softwoods Hardwoods		Beetles Wood termites	X X	Injection/double spray	/

XILIX 1000 (Producer : ADKALIS)							
Cypermethrin : 1,60 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	30
		Softwoods Hardwoods		Longhorn beetles Lyctus	X X	Beetles X Wood termites X	
		Softwoods Hardwoods		Beetles Wood termites	X X	Injection/double spray	/

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide	Type of process	Critical values in g/m ²
Characteristics				Insecticide		
Caption : X = yes O = no						

MICROKOAT (Producer : KOATCHIMIE)							
Bifenthrin : 0.9 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion Preventive treatment Dilution rate : 5 % at 200 ml/m ² Curative treatment Dilution rate : 1.67 % at 300 ml/m ²	1	Softwoods Hardwoods	10 10	Brown rot White rot	O O	Wood boring beetles X Termites (Reticulitermes spp) O	5
		Softwoods Hardwoods		Wood boring beetles Termites (Reticulitermes spp)	X X		
		Softwoods Hardwoods					Injection/double spray /
Certification Prerequisite : Market Authorisation n° FR-2016-1001 according to Biocidal Product Regulation 528/2012 EU Authorisation end: 27/07/2020							

CORIPHENE IF PRO (Producer : ADKALIS)							
Permethrin : 0.35 % w/w I.P.B.C. : 0,073 % w/w Propiconazole : 0,073 % w/w Tebuconazole : 0,073 % w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Ready to use Type : Water based emulsion	1	Softwoods Hardwoods	100 100	Brown rot White rot	X X	Longhorn beetles X Lyctus O Beetles O	300
	2	Softwoods Hardwoods	100 100	Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
	3.1	Softwoods Hardwoods	100 200	Wood termites	X		Injection/double spray /

XILIX IFC 300 (Producer : ADKALIS)							
Permethrin : 3,5 % w/w I.P.B.C. : 0,73 % w/w Propiconazole : 0,73 % w/w Tebuconazole : 0,73 % w/w biological risks covered : Wood boring beetles, termites, fungi Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	X X	Longhorn beetles X Lyctus X Beetles X	30
	2	Softwoods Hardwoods	10 10	Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
	3.1	Softwoods Hardwoods	10 20	Wood termites	X		Injection/double spray /

PRODUCTS INTENDED TO BE USED BY PROFESSIONAL OF REMEDIAL AND PREVENTIVE TREATMENT FOR TIMBER IN USE

Trade Name (Producer)						
Composition	Preventive properties				Remedial properties	
	Use Class	Type of wood	Critical value in g/m ²	Fungicide	Type of process	Critical values in g/m ²
Characteristics				Insecticide		
Caption : X = yes O = no						

CORIPHENE CI Pro (Producer : ADKALIS)							
Permethrin : 3.5 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion	1	Softwoods Hardwoods	10 10	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	30
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
		Softwoods Hardwoods		Wood termites	X	Injection/double spray	/

CURATIM IC4 (Producer : Q-Chem)							
Permethrin : 6.04 % w/w biological risks covered : Wood boring beetles, termites Presentation : Concentrate Type : Water based emulsion Preventive treatment Dilution rate : 4 % at 200 ml/m ² Curative treatment Dilution rate : 4 % at 300 ml/m ²	1	Softwoods Hardwoods	8 8	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	12
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
		Softwoods Hardwoods		Wood termites	X	Injection / double spray	/

CURATIM IS4 (Producer : Q-Chem)							
Permethrin : 0.25 % w/w biological risks covered : Wood boring beetles, termites Presentation : ready to use Type : Water based emulsion	1	Softwoods Hardwoods	200 200	Brown rot White rot	O O	Longhorn beetles X Lyctus X Beetles X Wood termites X	300
		Softwoods Hardwoods		Longhorn beetles Lyctus Beetles	X X X	Wood termites X	
		Softwoods Hardwoods		Wood termites	X	Injection / double spray	/